

Permit with introductory note

The Environmental Permitting (England & Wales) Regulations 2016

Inutec Ltd (T/A Tradebe-Inutec)

B44 Winfrith Site Dorchester Dorset DT2 8WQ

Permit number EPR/PP3890SE

B44 Winfrith Site Permit number EPR/PP3890SE

Introductory note

This introductory note does not form a part of this permit

The permit allows the Operator to receive and dispose of radioactive waste on or from the specified premises, which are part of a nuclear licensed site.

The permit is issued under the provisions of regulation 13 of the Environmental Permitting (England and Wales) Regulations 2016. Those Regulations are concerned, amongst other things, with the control of radioactive material and radioactive waste.

The operator must also comply with other legislation to which the keeping or use of radioactive material and the transfer, accumulation and disposal of radioactive waste is subject. This includes legislation enforced by the Office for Nuclear Regulation.

The main features of the facility on the premises are as follows; the facility receives, processes or treats a variety of wastes, which are then packaged for onward disposal. The waste originates both from the nuclear sector and from small volume radioactive substance users. Waste treatment processes used include supercompaction, cementation and washing. The facility has the capacity to analyse waste samples using on-site UKAS accredited laboratories.

This document is a varied and consolidated permit reflecting the changes made to the permit since issue.

The status log of the permit sets out the permitting history, including any changes to the permit reference number .

Date	Response Date
20 February 2006	
23 March 2007	
08 March 2010	
06 December 2010	
28 March 2011	+-
15 November 2011	
28 March 2014	
16 May 2014	T)
16 May 2014	
25 February 2015	(*)
20 June 2016	
10 July 2016	130
17 August 2017	
20 December 2017	
31 December 2017	
04 October 2018	24
01 February 2019	8 1,
11 February 2019	
	20 February 2006 23 March 2007 08 March 2010 06 December 2010 28 March 2011 15 November 2011 28 March 2014 16 May 2014 16 May 2014 25 February 2015 20 June 2016 10 July 2016 17 August 2017 20 December 2017 31 December 2017 04 October 2018

End of Introductory Note

The Environmental Permitting (England and Wales) Regulations 2016

Permit

Permit number

EPR/PP3890SE

The Environment Agency hereby authorises, under regulation 13 of the Environmental Permitting (England and Wales) Regulations 2016 (the "regulations"),

Inutec Ltd ("the operator")

whose registered office is

Inutec Ltd (Tradebe-Inutec) Atlas House Third Avenue, Globe Park Marlow Buckinghamshire SL7 1EY

company registration number 04433890

to carry on a radioactive substances activity/ radioactive substance activities at

B44 Winfrith Site Dorchester Dorset DT2 8WQ

("the premises")

to the extent authorised by and subject to the conditions of this permit.

Name		Date
Karl Littlewood	(Caller	1 February 2019

Authorised on behalf of the Environment Agency

The permit shall come into effect from 11 February 2019

1 Management

1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
 - in accordance with a written management system that is sufficient to achieve compliance with the conditions of this permit; and
 - (b) using sufficient competent persons and resources.
- 1.1.2 The operator shall maintain records demonstrating compliance with condition 1.1.1.
- 1.1.3 After completion of requirement [IC1] specified in Schedule 1 table S1.2, the operator shall maintain a waste management plan and a site –wide environmental safety case, which together demonstrate throughout the lifecycle of the regulated facility
 - how the production and disposal of radioactive waste is managed to protect the environment and to optimise the protection of people;
 - (b) how the disposability of radioactive waste that will require disposal on or from the premises is assured;
 - how members of the public and the environment are protected from the non-radiological hazards of disposals of radioactive waste; and
 - (d) how the premises will be brought to a condition at which it can be released from regulation under this permit.
- 1.1.4 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.5 The operator shall manage and operate the activities in consultation with such suitable Radioactive Waste Advisers as are necessary for the purpose of advising the operator as to compliance with this permit.

2 Operations

2.1 Permitted activities

2.1.1 The operator is only authorised to carry on the activities specified in schedule 1 table S1.1 (the "activities").

2.2 The site

2.2.1 The activities shall not extend beyond the site, being the land shown edged in green on the site plan at schedule 7 to this permit.

2.3 Operating techniques

- 2.3.1 The operator shall use the best available techniques to minimise the activity of radioactive waste produced on the premises that will require to be disposed of on or from the premises.
- 2.3.2 The operator shall use the best available techniques in respect of the disposal of radioactive waste pursuant to this permit to:
 - (a) minimise the activity of gaseous and aqueous radioactive waste disposed of by discharge to the environment;
 - (b) minimise the volume of radioactive waste disposed of by transfer to other premises;
 - (c) dispose of radioactive waste at times, in a form, and in a manner so as to minimise the radiological effects on the environment and members of the public.
- 2.3.3 The operator shall use the best available techniques to:
 - exclude all entrained solids, gases and non-aqueous liquids from radioactive aqueous waste prior to discharge to the environment;
 - (b) characterise, sort and segregate solid and non-aqueous liquid radioactive wastes, to facilitate their disposal by optimised disposal routes;
- 2.3.4 The operator shall maintain in good repair the systems and equipment provided:

- (a) to meet the requirements of conditions 2.3.1, 2.3.2 and 2.3.3;
- to carry out any monitoring and measurements necessary to determine compliance with the conditions of this permit;
- (c) to measure and assess the exposure of members of the public and radioactive contamination of the environment.
- 2.3.5 The operator shall check, at an appropriate frequency, the effectiveness and maintenance of systems, equipment and procedures provided to meet the requirements of conditions 2,3.1, 2.3.2 and 2,3.3.
- 2.3.6 The operator shall have and comply with appropriate criteria for the acceptance into service of adequate systems, equipment and procedures for:
 - carrying out any monitoring and measurements necessary to determine compliance with the conditions of this permit;
 - (b) measuring and assessing exposure of members of the public and radioactive contamination of the environment.
- 2.3.7 Subject to condition 2.3.2, the operator shall carry on the activities in a manner so as to minimise the risk of pollution from any non-radioactive substances used in or produced by those activities or any non-radiological properties of the radioactive waste, except to the extent the risk is addressed in a separate environmental permit.

2.4 Improvement and information programme

- 2.4.1 The operator shall complete the requirements specified in schedule 1 table S1.2 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.4.2 Except in the case of a requirement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each requirement.

2.5 Pre-operational conditions

- 2.5.1 The activities shall not be brought into operation until the measures specified in schedule 1 table S1.3A have been completed.
- 2.5.2 The specific disposals and receipts of radioactive waste identified in schedule 1 table S1.3B shall not commence until the relevant measures specified in that table have been completed.

2.6 Receipt of radioactive waste

- 2.6.1 The operator shall:
 - for each type of radioactive waste that the operator is prepared to receive, produce a written specification of the information required to:
 - (i) enable the disposal of that type of radioactive waste in compliance with this permit; or
 - (ii) where disposal of that type of radioactive waste is not currently permitted, sufficiently characterise that waste to, as far as reasonably practicable, enable its future disposal;
 - (b) provide that written specification to any person from whom the operator is prepared to receive radioactive waste of that type;
 - only accept a consignment of radioactive waste that is accompanied by a legible note providing the information specified in 2.6.1(a);
 - (d) keep a copy of any such note received;
 - (e) provide a receipt to the consignor in respect of each consignment of radioactive waste that the operator accepts.
- 2.6.2 The operator shall ensure that any radioactive waste which does not comply with the specifications produced pursuant to condition to 2.6.1 is returned to the consignor as soon as reasonably practicable, unless otherwise agreed in writing with the Environment Agency

2.6.3 The provisions of conditions 2.6.1 to 2.6.4 do not apply to any radioactive waste collected as a result of the operator's participation in the National Arrangements for Incidents involving Radioactivity or in the Radsafe scheme.

3 Disposals of radioactive waste and monitoring

3.1 Disposals of radioactive waste

- 3.1.1 Subject to condition 3.1.4, there shall be no disposals of radioactive waste except of the types of radioactive waste and by the disposal routes specified in schedule 3.
- 3.1.2 The limits on disposals given in schedule 3 shall not be exceeded.
- 3.1.3 The operator shall ensure the use of an optimised disposal route when disposing of any radioactive waste in accordance with Table S3.4[or S3.5].
- 3.1.4 The operator may dispose of radioactive waste, not being radioactive waste otherwise authorised to be disposed of, which is collected as a result of the operator's participation in the National Arrangements for Incidents involving Radioactivity or in the Radsafe scheme provided that the operator:
 - transfers the radioactive waste to a person whom the Environment Agency has agreed in writing may receive that radioactive waste;
 - (b) as soon as reasonably practicable provides available details in writing to the Environment Agency of the nature of the radioactive waste, the radionuclides present, their activities and the manner and date of disposal.
- 3.1.5 The operator shall ensure that the transfer of radioactive waste is in accordance with the directions of the person to whom the radioactive waste is transferred that are necessary to enable that person to comply with all relevant regulatory requirements.
- 3.1.6 The operator shall:
 - (a) ensure that the person to whom radioactive waste is transferred receives at the time of transfer of each consignment a clear and legible note signed on the operator's behalf stating:
 - the total activity in the consignment of each relevant radionuclide or group of radionuclides listed in the relevant table in schedule 3; or
 - (ii) when no relevant radionuclide or group of radionuclides is specified in schedule 3, the total activity in the consignment of each radionuclide or group of radionuclides as listed in the written specification of the person to whom the radioactive waste is transferred.
 - (b) obtain a note signed on behalf of the person to whom radioactive waste is transferred, at the time of transfer, stating that the transfer has taken place;
 - (c) keep a copy of any note issued under condition 3.1.6(a) and any note received under condition 3.1.6(b).
- 3.1.7 If required by the Environment Agency, the operator shall ensure that any consignment or part of any consignment of radioactive waste found, following transfer, not to be in accordance with the conditions of this permit:
 - (a) is packaged in accordance with the relevant legislation;
 - (b) is returned as soon as is reasonably practicable to the operator's premises.
- 3.1.8 The operator shall, not later than 14 days after the end of each month or within such longer period as the Environment Agency may approve in writing, record all disposals of radioactive waste made during that month.

3.2 Monitoring

- 3.2.1 The operator shall:
 - take samples and conduct measurements, tests, surveys, analyses and calculations to determine compliance with the conditions of this permit;
 - (b) unless otherwise agreed in writing by the Environment Agency:
 - (i) define, document and carry out an environmental monitoring programme;

- use the results of that programme to carry out an annual retrospective assessment of the dose to the representative person;
- (iii) inform the Environment Agency in writing in advance of any modifications affecting the extent of that programme or that have a potential to change the results obtained.
- (c) use the best available techniques when taking such samples, conducting such measurements, tests, surveys, analyses and calculations, and carrying out such an environmental monitoring programme and retrospective dose assessment, unless particular techniques are specified in schedule 3 of this permit or in writing by the Environment Agency;
- (d) define and document the techniques being employed to determine the activity of radioactive waste disposals and inform the Environment Agency in writing in advance of any modifications to those techniques that have a potential to change the results obtained.
- 3.2.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.2.3 Monitoring equipment, techniques, personnel and organisations employed for the monitoring of disposals and the environment required by condition 3.2.1 or 3.2.5 shall have either MCERTS certification or MCERTS accreditation (as appropriate), where available, unless otherwise agreed in writing by the Environment Agency.
- 3.2.4 Permanent means of access shall be provided to enable sampling and monitoring to be carried out in relation to the disposal outlets specified in schedule 3 unless otherwise agreed in writing by the Environment Agency.
- 3.2.5 If required by the Environment Agency, the operator shall:
 - take such samples and conduct such measurements, tests, surveys, analyses and calculations, including environmental measurements and assessments, at such times and using such methods and equipment as the Environment Agency specifies;
 - (b) keep samples, provide samples, or dispatch samples for tests at a laboratory, as the Environment Agency specifies, and ensure that the samples or residues thereof are collected from the laboratory within three months of receiving written notification that testing and repackaging in accordance with the relevant legislation are complete.
- 3.2.6 The operator shall carry out:
 - regular calibration, at an appropriate frequency, of measuring instruments and other systems and equipment provided for:
 - carrying out any monitoring and measurements necessary to determine compliance with the conditions of this permit;
 - (ii) measuring and assessing exposure of members of the public and radioactive contamination of the environment.
 - (b) regular checking, at an appropriate frequency, that such measuring instruments and other systems and equipment are serviceable and correctly used.

4 Information

4.1 Records

- 4.1.1 All records required to be made by this permit shall:
 - (a) be legible;
 - (b) be made as soon as reasonably practicable;
 - if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
 - (d) be retained until notified in writing by the Environment Agency that records no longer need to be retained.
- 4.1.2 The operator shall keep on the premises all records, plans and the management system required by this permit, unless otherwise agreed in writing by the Environment Agency.
- 4.1.3 The operator shall:

- retain records made in accordance with any previous relevant permit issued to the operator and related to the premises covered by this permit;
- (b) retain records transferred to the operator, which were made in accordance with any previous relevant permit related to the premises covered by this permit.

4.2 Reporting

- 4.2.1 The operator shall send all reports and notifications required by this permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.
- 4.2.2 The operator shall supply such information in relation to:
 - (a) the disposals of radioactive waste; and
 - the samples, tests, surveys, analysis and calculations, environmental monitoring and assessments undertaken under conditions 3.2.1 and 3.2.5 in relation to disposals of radioactive waste;

in such format and within such timescales as the Environment Agency may specify in writing.

4.3 Notifications

- 4.3.1 The operator shall notify the Environment Agency without delay following the detection of:
 - any malfunction, breakdown or failure of equipment or techniques or any accident that has caused, is causing or may cause significant pollution or may generate significant amounts of radioactive waste;
 - the breach of a limit specified in this permit, or disposal of radioactive waste other than by a relevant permitted route;
 - (c) any significant adverse environmental effects that could reasonably be seen to result from the operation of the facility.
- 4.3.2 Any information provided under condition 4.3.1 shall be confirmed by sending the information listed in schedule 5 within the time period specified in that schedule.
- 4.3.3 Where the Environment Agency has requested in writing that it shall be notified when the operator is to undertake monitoring and/or spot sampling, the operator shall inform the Environment Agency when the relevant monitoring and/or spot sampling is to take place. The operator shall provide this information to the Environment Agency at least 14 days before the date the monitoring is to be undertaken.
- 4.3.4 The operator shall notify the Environment Agency within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:
 - (a) any change in the operator's trading name, registered name or registered office address;
 - (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.
- 4.3.5 Where the operator proposes to make a change in the management system or resources, which might have, or might reasonably be seen to have a significant impact on how compliance with the conditions of this permit is achieved, the operator shall;
 - notify the Environment Agency at least 28 days before making that change, or where that is not
 possible, without delay; and
 - (b) shall include in the notification a description of the proposed changes.
- 4.3.6 Where the operator proposes to make a change to the waste management plan, to the site-wide environmental safety case or, where applicable, to the facility-specific environmental safety case, including a change to the waste acceptance criteria, which might have, or might reasonably be seen to have, a significant impact on the quantity or nature of radioactive wastes disposed or planned to be disposed of on the site, or result in a significant change to the nature, place or environmental impact of such disposals, the operator shall:
 - notify the Environment Agency at least 28 days before making that change, including in the notification a description of the proposed changes; and
 - (b) where the Environment Agency so notifies the operator, not implement the proposed changes until the Environment Agency has given its agreement in writing.

- 4.3.7 If, in any week, the activity in any radioactive waste disposed of from any outlet or group of outlets specified in schedule 3 of any radionuclide or group of radionuclides exceeds, or is likely to exceed, the relevant Weekly Advisory Level (where specified), the operator shall:
 - (a) without delay, inform the Environment Agency and the Food Standards Agency;
 - (b) as soon as reasonably practicable, advise the Environment Agency and the Food Standards Agency of the circumstances at the premises leading to the release and the possible impact of any deposition of radioactivity on pasture or crops in the vicinity of the premises, including any measurements made.
- 4.3.8 If, in any quarter, the activity in any waste discharged from any outlet or group of outlets specified in schedule 3 of any radionuclide or group of radionuclides exceeds the relevant Quarterly Notification Level (where specified), the operator shall provide the Environment Agency with a written submission which includes:
 - (a) details of the occurrence;
 - (b) a description of the means used to minimise the activity of radioactive waste discharged;
 - (c) a review of those means having regard to conditions 2.3.1, 2.3.2 and 2.3.3; not later than 14 days from making the record which demonstrates such excess.

4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made "without delay", in which case it may be provided by telephone.

Schedule 1 - Operations

Table S1.1	activities		
Activity reference	Activity listed in Schedule 23 of the regulations	Description of specified activity	Limit of specified activity
A1	Sch 23 Part 2 para 11(2)(b)	Disposal of radioactive waste on or from the premises	Operation of a waste treatment facility.
A2	Sch 23 Part 2 para 11(4)(a)	Receipt of radioactive waste for the purpose of disposal	

Table S1.2 I	mprovement and information requirements	
Reference	Requirement	Date
IC1	Prepare a suitable waste management plan and a site-wide environmental safety case to meet the requirements of condition 1.1.3 of this permit, and have these available for inspection by the Environment Agency.	31 December 2023

.Table S1.3A	A Pre-operational measures	
Reference	Measure	8 mg
	None specified	

Table S1.3E	Pre-operational measures for future d	evelopment	
Reference	Disposal or receipt	Measure	
	None specified	None specified	

Schedule 2 – Holdings of Open Sources

There are no requirements under this schedule

Schedule 3 - Disposals of radioactive waste and monitoring

Specified radioactive waste type	Disposal outlet reference	Disposal outlet	Radionuclide or group of nuclides	Annual limits	Weekly Advisory Level	Quarterly Notification level
Gaseous waste	All outlets A1 to	Site limits as specified below	Tritium	19.5 TBq	Not specified	5 TBq
	A7 (including	(including any minor outlets specified	Carbon -14	30 GBq	Not specified	7.5 GBq
	approved outlets	within the CEAR)	Alpha emitting radionuclides	100 kBq	Not specified	Not specified
	where appropriate)		"other radionuclides" 1	100 kBq	Not specified	Not specified
Gaseous waste	Approved outlets (air)	All outlets to air, not otherwise described in this table, that are approved by the Environment. Agency and specified in the CEAR	Tritium, Carbon-14, alpha emitting radionuclides and "other radionuclides" 1	1% of the relevant annual limit for all outlets or as agreed with the Environment	Not specified	Not specified
Gaseous waste	A1	Multi-flued stack serving B45 general areas and the organics destruction facility		Section 1		
Gaseous waste	A2	Outlet from B45 Cementation Plant				
Gaseous waste	A3	B45 Active Characterisation and process development laboratory	il lenbivipui oN	No individual limits specified for these disposal outlets	taltino lesconsilo es	
Gaseous waste	A4	B45 Mercury recovery facility			anno mondon no	,
Gaseous waste	A5	B482 Tritium recovery facility				
Gaseous waste	A6	B483 Tritium store and workshop				
Gaseous waste	A7	B431 (T) for the handling and sorting of combustible waste				

Specified radioactive waste type	Disposal outlet reference	Disposal outlet	Radionuclide or group of nuclides	Annual limits	Quarterly Notification level
None permitted	f, e		*		

Table \$ 3.3 Specified disposal	isposals to sewer				San Sheet Street
Specified radioactive waste type	Disposal outlet reference	Disposal outlet	Radionuciide or group of nuclides Annual limi	Annual limits	Quarterly Notification level
None permitted			T		

Specified radioactive waste type	Person to whom radioactive waste may be transferred 11	Purpose of transfer	Radionuclide or group of radionuclides	Calendar year Ilmit	Annual volume limit – m³	Quarterly Notification level
VLLW	The holder of an environmental permit for the receipt and disposal of VLLW	For any one or more of: - treatment - onward transfer for treatment or disposal - incineration - metals recovery - final disposal	Any	No limit	No limit	No limit
ПТМ	The holder of an environmental permit for the receipt and disposal of LLW	For any one or more of: - treatment - onward transfer for treatment or disposal - inclineration - metals recovery - final disposal	Any	No limit	No limit	No limit
Liquid waste with an activity concentration not	The holder of an environmental permit for the receipt and	For any one or more of:	Tritium	180 TBq	No limit	45TBq
exceeding 4 GBq/m³ of alpha emitting	disposal of liquid waste at either the	onward transfer for treatment or disposal final disposal	Alpha emitting radionuclides	6 GBq	No limit	1.5GBq
radionuclides nor 12 GBq/m³ of all other radionuclides	Winfrith Nuclear Licensed Site or the Inutec (Tradebe) facility at Fawley	a	Other radionuclides ²	16GBq	No limit	4GBq
Liquid waste with an activity concentration exceeding 4 GBq/m³ of alpha emitting radionuclides or 12 GBq/m³ of all other radionuclides	Any nuclear operator holding an environmental permit for the receipt of radioactive waste A specified holder of an environmental permit for the receipt and disposal of liquid waste, as agreed in writing by the Environment Agency	For any one or more of: - treatment - onward transfer for treatment or disposal - incineration - final disposal	Any	No limit	No limit	No limit

¹ For the purposes of this table, "environmental permit" includes an authorisation issued under the Radioactive Substances Act 1993 by the environmental regulator for Scotland or Northern Instand.

² "Other radionculides" means, for each specified waste type, the total of all radionuclides present in that waste other than those radionculides that are individually named or specified as a group of radionuclides.

Page 13
er EPR/PP3890SE
Permit Numbe

	 Any nuclear operator holding an environmental permit for the receipt of radioactive waste A specified holder of an environmental permit for the receipt and disposal of ILW, as agreed in writing by the Environment Agency 	For any one or more of: - treatment - onward transfer for treatment or storage - inclneration - storage before future disposal	Any	No Limit	No Limit	No limit
Plutonium Contaminated Material	The Sellafield Site Operator	For treatment and / or storage before future disposal	Any	No limit	No limit	No limit
Radioactive Waste as defined in the Transfrontier Shipment of Radioactive Waste Regulations 1993 or the Transfrontier Shipment of Radioactive Waste and Spent Fuel Regulations 2008	Transfer in accordance with the conditions of an authorisation granted under the Transfrontier Shipment of Radioactive Waste Regulations 1993 or the Transfrontier Shipment of Radioactive Waste and Spent Fuel Regulations 2008		Any	No limit	No limit	No limit

1 For the purposes of this table, "environmental permit" includes an authorisation issued under the Radioactive Substances Act 1993 by the environmental regulator for Scotland or Northern Ireland.

Table S 3.5 monitoring	
Table and radionuclide	Monitoring technique
Table 3.2 – 'Other Radionuclides' in Radioactive Aqueous Liquid Waste	For the purpose of demonstrating compliance with the limitations and conditions of this permit relating to 'other radionuclides', in aqueous liquid waste: (a) the Operator shall measure the gross activity, excluding tritium of all samples collected for these purposes by the application of Best Available Techniques including;
	 (ii) use of a counting system which: uses a gas flow proportional detector with an effective window thickness in accordance with manufacturers requirement; uses a gas mixture of methane in argon in accordance with manufacturers requirements; has a fixed sample position; is set up in accordance with the manufacturers requirements to give low background noise and high stable counting efficiency; the counter is calibrated for detection efficiency using a caesium-137 standard traceable to a National Standard; Or, (b) any other suitable method, which has been agreed in writing by the Agency.

Schedule 4 - Reporting

There are no requirements under this schedule.

Schedule 5 - Notification

These pages outline the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the disposal. Where appropriate, a comparison should be made of actual disposals and permitted disposal limits.

Permit Number	
Name of operator	
Location of Facility	1 1 1 1
Time and date of the detection	
Time dita date of the detection	3
	nction, breakdown or failure of equipment or techniques i, is causing or may cause significant pollution or may ctive waste
Date and time of the event	
Reference or description of the location of the event	L _F ,
Description of where any disposal into the environment took place	er in the
Radionuclides potentially released	1 2
Best estimate of the quantity or rate of release of radionuclides or amount of radioactive waste generated	
Measures taken, or intended to be taken, to stop any disposal	
Description of the failure or accident.	
(b) Notification requirements for the breac a relevant permitted route	h of a limit or disposal of radioactive waste other than by
Disposal outlet reference/ source	
Radionuclides	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the disposal	
(c) Notification requirements for the detect	tion of any significant adverse environmental effect
Description of where the effect on the environment was detected	
Radionuclides detected	
Radionuclides detected Activity of radionuclides detected	

Part B - to be provided as soon as	practicable
Any more accurate information on the matters for notification under Part A.	_ +:
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any contamination of the environment which has been or may be caused by the disposal	
The dates of any unauthorised disposals from the facility in the preceding 24 months.	+ P
Name*	
Post	
Signature	
Date	

^{*} authorised to sign on behalf of Tradebe Inutec

Schedule 6 - Interpretation

In this permit, except where otherwise specified, words and expressions defined in the regulations in relation to radioactive substances regulation shall have the same meanings when used in this permit as they have in those regulations.

"activity", expressed in becquerels, means the number of spontaneous nuclear transformations occurring in a period of one second.

"annual limit" means the limit over a period of any consecutive 12 months.

"aqueous waste" means radioactive waste in the form of a continuous aqueous phase together with any entrained solids, gases and non-aqueous liquids.

"best available techniques" means the latest stage of development (state of the art) of processes, of facilities or of methods of operation which indicate the practical suitability of a particular measure for limiting discharges, emissions and waste. In determining whether a set of processes, facilities and methods of operation constitute the best available techniques in general or individual cases, special consideration shall be given to:

- a. comparable processes, facilities or methods of operation which have recently been successfully tried out;
- technological advances and changes in scientific knowledge and understanding;
- c. the economic feasibility of such techniques;
- d. time limits for installation in both new and existing plants;
- e. the nature and volume of the discharges and emissions concerned

"techniques" include both the technology used and the way in which the installation is designed, built, maintained, operated and dismantled.

"Bq, kBq, MBq, GBq, TBq and PBq" are used as abbreviations meaning becquerels, kilobecquerels, megabecquerels, egigabecquerels, terabecquerels and petabecquerels respectively.

"calendar year" means a period of 12 consecutive months beginning on 1 January.

"disposability" means capable of being conditioned, packaged and disposed of in a way that meets the standards and specifications for final disposal using the identified disposal route, and where the conditioned waste will maintain its integrity such that safe and efficient storage, handling, transport and disposal is achieved.

"disposal facility" means an on-site engineered facility where solid radioactive waste is permanently emplaced solely for the purpose of disposing of that waste.

"disposal for a purpose" means on-site disposal of solid radioactive waste by permanent deposit where, if suitable radioactive waste were not available, other materials would have to be found to fulfil the purpose.

"disposal in-situ" means on-site disposal of solid radioactive waste by leaving it permanently in its original position, together with any necessary preparatory works.

"environment" means all, or any, of the media of air, water (to include sewers and drains) and land.

"gaseous waste" means radioactive waste in the form of gases and associated mists and particulate matter.

"ILW" means solid radioactive waste with an activity concentration greater than the maximum for LLW, but which does not require heating to be taken into account in the design of storage or disposal facilities.

"LLW" means solid radioactive waste, including any immediate packaging, with an activity concentration greater than the maximum for VLLW but not exceeding 4 gigabecquerels per tonne of alpha emitting radionuclides nor 12 gigabecquerels per tonne of all other radionuclides.

"MCERTS" means the Environment Agency's Monitoring Certification Scheme.

"month" means calendar month.


"National Arrangements for Incidents Involving Radioactivity" means the arrangements co-ordinated by Public Health England to protect the public from hazards arising from the use and transport of radioactive materials and in situations where no formal contingency plans exist.

"nuclear operator" means a person who carries on a radioactive substances activity on a nuclear site

"quarter" means any period of three consecutive months.

"optimise" and "optimised" means the outcome of the process of optimisation, in which all exposures to ionising radiation of any member of the public and of the population as a whole resulting from the disposal of radioactive waste are kept as low as reasonably achievable, taking into account economic and social factors.

Schedule 7 - Site plan



END of PERMIT

- "other than in a disposal facility" means one or both of "disposal for a purpose" and "disposal in-situ"
- "packaging" includes any sack, drum, container or wrapping.
- "Radioactive Waste Adviser" means an individual, or group of individuals, with the knowledge, training and experience needed to give radioactive waste management and environmental radiation protection advice in relation to radioactive waste to ensure the effective protection of members of the public whose competence is recognised by the Environment Agency.
- "Radsafe" means the consortium of organisations which offer mutual assistance in the event of a transport accident involving radioactive materials belonging to a RADSAFE member.
- "samples" includes samples that have been prepared or treated to enable measurements of activity to be made.
- "site-wide environmental safety case" means a documented set of claims made by the operator, and substantiated by a structured collection of arguments and evidence, to demonstrate achievement by the site as a whole of the required standard of environmental safety. Where relevant it includes the facility-specific environmental safety case for any on-site disposal facility.
- "spot sampling" means the taking of samples on a non-continuous basis of radioactive substances for subsequent analysis.
- "VLLW" means solid radioactive waste with a maximum concentration of 40 megabecquerels per tonne of tritium and carbon-14 (in total) and 4 megabecquerels per tonne of all other radionuclides.
- "waste acceptance criteria" means qualitative and/or quantitative criteria, specified by the operator, for solid radioactive waste to be accepted for disposal.
- "waste management plan" means a documented plan, prepared by the operator, which provides a comprehensive description of the current intent for dealing with all radioactive waste on or adjacent to the site and demonstrates how waste management has been optimised.
- "week" means a period of 7 consecutive days commencing at a day and time to be notified in writing to the Environment Agency by the Operator at least 14 days before any disposal of radioactive waste is made under the terms of this permit, any subsequent change being notified in writing to the Environment Agency at least 7 days in advance.
- "year" means any period of 12 consecutive months.